



MOTION SENSORS



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

Body Color	White
Voltage	AC220-240V
Frequency	50/60Hz
Ambient Temperature	-5°C~35°C


SPECIFICATIONS

Code No.	Model No.	Body Material	Max. Load Watt	Beam Angle	IP Rating	Detection Distance	Sensor Type	Mounting Type
612786	ILSSW8P01	Polycarbonate	200W	180°	IP44	6~8 meter	PIR Sensor	Surface Mounted
612787	ILSSS6P01	Polycarbonate	200W	360°	IP20	max 6 meter	PIR Sensor	Surface Mounted
612788	ILSSS10M01	Polycarbonate	300W	360°x160°	IP20	2~10 meter	Microwave Sensor	Surface Mounted
612789	ILSSS10M02	Polycarbonate	300W	360°x160°	IP65	2~10 meter	Microwave Sensor	Surface Mounted
612790	ILSSR6P01	Polycarbonate	200W	360°	IP20	max 6 meter	PIR Sensor	Recessed in Ceiling
612791	ILSSR5P01	Polycarbonate	150W	360°	IP20	3x5 meter	PIR Sensor	Recessed in Ceiling
612792	ILSSR10M01	Polycarbonate	300W	360°x160°	IP20	2~10 meter	Microwave Sensor	Recessed in Ceiling
612793	ILSSU6P01	ABS	200W	100°	IP20	<6 meter	Motion Sensor	Surface Mounted


DIMENSIONS




612786



612787





612788





612789

DIMENSIONS



612790

612791



612792

612793

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

MOTION SENSORS

BEYOND LIGHT.. TO THE LAST DETAILS!

