



LED PRO

Simple & Flexible Solution

LED WALL GRAZER LUMINAIRE SERIES

PRODUCT INFORMATION

- Excellently anti-dust LED with professional design to guarantee lighting performance.
- It not only ensures high quality of lighting color consistency but also protect products against from harsh environments.
- ILLUS LED Wall Grazer Luminaire gives the customer the flexibility to choose between 4 models based on their specific need with lumen package from 800lm to 2800lm.

BENEFITS

- Vivid light color.
- Less maintenance cost and less concerns.
- Equipped with surge protection function.

FEATURES

- High CRI>80.
- Efficacy up to 78lm/w.
- Long lifespan 30000H.
- Operating voltage AC100-240V.
- Non-Dimmable.
- Good Impact Rating.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Shopping Center



Commercial



Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP65
Rated CRI	80
Color Temperature	3000K
Voltage & Frequency	AC100-240V, 50/60Hz
Beam Angle	7°*25°
Dimming	Non-Dimmable
IEC Classification	Class I
Ambient Temperature	-20°C~45°C
Surge Protection	1kV
Lifespan	30000H
Switching Cycle	100000x on/off
Warranty Period	60 Months


SPECIFICATIONS

Code No.	Model No.	Body Color	Body Material	Power	Lumen	Efficacy	IK Rating
612833	ILS18ACWGLL830WW01	Dark Grey	Aluminum+Glass	12W	800lm	66.67lm/W	IK08
612834	ILS18ACWGLL830WW01	Dark Grey	Aluminum+Glass	18W	1400lm	77.78lm/W	IK08
612835	ILS24ACWGLL830WW01	Dark Grey	Aluminum+Glass	24W	1800lm	75lm/W	IK08
612836	ILS36ACWGLL830WW01	Dark Grey	Aluminum+Glass	36W	2800lm	77.78lm/W	IK08

DIMENSIONS




612833 - 612834



612835 - 612836

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED WALL GRAZER LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**

