



Full range recessed up-light to make your **space distinctive**

LED INGROUND LUMINAIRE SERIES

PRODUCT INFORMATION

- Provide a completed range of up-lights in terms of wattage, color temperature.
- Make your space distinctive with more safety and convenience as well.
- ILLUS LED INGROUND Luminaire gives the customer the flexibility to choose between 12 models based on their specific need with lumen package from 500 lm to 2682 lm.

BENEFITS

- Easy to opt.
- Quick installation.
- Robust design for severe conditions.
- Equipped with surge protection function.

FEATURES

- High CRI>80.
- Efficacy up to 95 lm/w.
- Long lifespan 50000H.
- Operating voltage AC220-240V.
- Non-Dimmable.
- Good Impact Rating.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Commercial



Shopping Center



Educational center




TECHNICAL OPERATING & ELECTRICAL DATA

Input Voltage & Frequency	AC220-240V, 50/60Hz
Rated CRI	80
Color Temperature	3000K
Ingress Protection Rating	IP67
Ambient Temperature	-20°C~45°C
IEC Classification	Class I
IK Rating	IK08
Surge Protection	1kV
Lifespan	50000H
Switching Cycle	100000x on/off
Warranty Period	60 Months


SPECIFICATIONS

Code No.	Model No.	Body Color	Body Material	Power	Lumen	Efficacy	Beam Angle
612163	ILS7.5RMOIGL01	Black+Silver	Aluminum	7.5W	715lm	95.33lm/W	20°
612164	ILS15RMOIGL01	Black+Silver	Aluminum	15W	1338lm	89.2lm/W	20°
612165	ILS30RMOIGL01	Black+Silver	Aluminum	30W	2682lm	89.4lm/W	20°
612166	ILS7.5RMOIGL02	Black+Silver	Aluminum	7.5W	715lm	95.33lm/W	20°
612167	ILS15RMOIGL02	Black+Silver	Aluminum	15W	1338lm	89.2lm/W	20°
612168	ILS30RMOIGL02	Black+Silver	Aluminum	30W	2682lm	89.4lm/W	20°
612169	ILS7.5RMOIGL03	Black+Silver	Aluminum	7.5W	500lm	66.67lm/W	15°
612170	ILS17RMOIGL01	Black+Silver	Aluminum	17W	1385lm	81.47lm/W	15°
612171	ILS27.5RMOIGL01	Black+Silver	Aluminum	27.5W	2437lm	88.62lm/W	15°
612172	ILS7.5RMOIGL04	Black+Silver	Aluminum	7.5W	500lm	66.67lm/W	15°
612173	ILS17RMOIGL02	Black+Silver	Aluminum	17W	1385lm	81.47lm/W	15°
612174	ILS27.5RMOIGL02	Black+Silver	Aluminum	27.5W	2437lm	88.62lm/W	15°


DIMENSIONS




612163 (Cutting Size Ø135)




612164 (Cutting Size Ø195)




612165 (Cutting Size Ø235)




612166 (Cutting Size Ø135)




612167 (Cutting Size Ø195)




612168 (Cutting Size Ø235)




612169 (Cutting Size Ø135)




612170 (Cutting Size Ø195)




612171 (Cutting Size Ø235)



612172 (Cutting Size Ø135)



612173 (Cutting Size Ø195)



612174 (Cutting Size Ø235)



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED INGROUND LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**

