



Full range recessed up-light to make your **space distinctive**

LED INGROUND LUMINAIRE SERIES

PRODUCT INFORMATION

- Provide a completed range of up-lights in terms of wattage, color temperature.
- Make your space distinctive with more safety and convenience as well.
- ILLUS LED INGROUND Luminaire gives the customer the flexibility to choose between 8 models based on their specific need.

BENEFITS

- Easy to opt.
- Quick Installation.
- Robust design for severe conditions.
- Equipped with surge protection function.

FEATURES

- High CRI>80.
- Long lifespan 50000H.
- Operating voltage AC220-240V.
- Non-Dimmable.
- Good Impact Rating.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Commercial



Shopping Center



Educational center


TECHNICAL OPERATING & ELECTRICAL DATA

Input Voltage & Frequency	AC220-240V, 50/60Hz
Rated CRI	80
Color Temperature	3000K
Ingress Protection Rating	IP65
Ambient Temperature	-20°C~45°C
IEC Classification	Class I
IK Rating	IK08
Surge Protection	1kV
Lifespan	50000H
Switching Cycle	100000x on/off
Warranty Period	60 Months


SPECIFICATIONS

Code No.	Model No.	Body Color	Body Material	Power	Lumen	Efficacy	Beam Angle
612517	ILS8RMOIGL01	Black+Silver	Aluminum+Stainless Steel	8W	715lm	89.36lm/W	20.9°
612518	ILS8RMOIGL02	Black+Silver	Aluminum+Stainless Steel	8W	715lm	89.36lm/W	20.9°
612519	ILS8.2RMOIGL01	Black+Silver	Aluminum+Stainless Steel	8.2W	468lm	57.10lm/W	64.9°
612520	ILS5.4RMOIGL01	Black+Silver	Aluminum+Stainless Steel	5.4W	89lm	16.48lm/W	91.9°
612513	ILS4.4RMOIGL01	Black+Silver	Aluminum+Stainless Steel	4.4W	238lm	54.10lm/W	33.2°
612514	ILS4.4RMOIGL02	Black+Silver	Aluminum+Stainless Steel	4.4W	302lm	68.64lm/W	21.1°
612515	ILS3.4RMOIGL01	Black+Silver	Aluminum+Stainless Steel	3.4W	79lm	23.24lm/W	70.4°
612516	ILS3RMOIGL01	Black+Silver	Aluminum+Stainless Steel	3W	37lm	12.33lm/W	88.86°


DIMENSIONS




612517 (Cutting size L210-W70)




612518 (Cutting size L210-W70)




612519 (Cutting size L210-W70)




612520 (Cutting size L210-W70)




612513 (Cutting size L140-W70)



612514 (Cutting size L140-W70)



612515 (Cutting size L140-W70)



612516 (Cutting size L140-W70)



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED INGROUND LUMINAIRE SERIES

BEYOND LIGHT..
TO THE LAST DETAILS!

