

PRO

SPIKE PROJECTOR LUMINAIRE



AREAS OF APPLICATION







Shopping Center



Garden





Commercial

Educational Center




I TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP65
Voltage & Frequency	AC220-240V, 50/60Hz
Lamp Holder	GU10
Cap Type	MR11
IEC Classification	Class I
IK Rating	IK08
Ambient Temperature	-20°C~45°C
Dimming	Non-Dimmable
Warranty Period	60 Months

SPECIFICATION

614211 ILSSPMOPJF04 Dark Grey Aluminum Max.9W	Code No.	Model No.	Body color	Body Material	Max. Wallage	
	614211	ILSSPMOPJF04	Dark Grey	Aluminum	Max.9W	


DIMENSION




I ACCESSORIES SPECIFICATIONS


Code No.	Model No.	Body color	Body Material
614209	ILSSPMOPJEPF02	Dark Grey	Aluminum
614210	ILSSMOPJSTF03	Dark Grey	Stainless Steel
614212	ILSSMOPJBSF02	Dark Grey	Stainless Steel
614213	ILSSMOPJBSF03	Dark Grey	Stainless Steel


ACCESSORIES DIMENSIONS






614209 614210





614212 614213

APPLICATION PICTURE



SPIKE PROJECTOR LUMINAIRE BEYOND LIGHT..
TO THE LAST DETAILS!

