



LED PRO

For every project, where light really matters

LED MODULE LUMINAIRE (MR16) SERIES

PRODUCT INFORMATION

- Suitable for a series of lighting applications in office, retail and general area lighting.
- Available in a wide variety of lumen packs, cut out size and color temperature.
- ILLUS LED MODULE Luminaire (MR16) gives the customer the flexibility to choose between 10 models based on their specific need with lumen package from 910lm to 1400lm.

BENEFITS

- Compact design for better integration with the building.
- Comfortable light with high efficiency.
- Reliable performance for indoor applications.

FEATURES

- High CRI>95.
- Efficacy up to 105 lm/w.
- Long lifespan 30,000H.
- Operating voltage AC220-240V.
- Non-Dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center





TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP44
Rated CRI	95
Body Material	Aluminum
Ambient Temperature	-20°C~45°C
Voltage & Frequency	AC220-240V, 50/60Hz
IEC Classification	Class II
Beam Angle	36°
Dimming	Non-Dimmable
Lamp Type	Direct
Lifespan	30000H
Switching Cycle	100000x on/off
Warranty Period	36 Months

SPECIFICATIONS

Code No.	Model No.	Body Color	Power	Lumen	Efficacy	CCT	Current	Energy Saving	Equivalent
LI614956	ILS10MR16M927WW02	Dark Grey	10W	910lm	91lm/W	2700K	2700K	2700K	2700K
LI614957	ILS10MR16M930WW02	Dark Grey	10W	930lm	93lm/W	3000K	3000K	3000K	3000K
LI614952	ILS10MR16M935WW02	Dark Grey	10W	960lm	96lm/W	3500K	3500K	3500K	3500K
LI614958	ILS10MR16M940NW02	Dark Grey	10W	1000lm	100lm/W	4000K	4000K	4000K	4000K
LI614959	ILS10MR16M950DL02	Dark Grey	10W	1050lm	105lm/W	5000K	5000K	5000K	5000K
LI614960	ILS15MR16M927WW01	Dark Grey	15W	1200lm	80lm/W	2700K	2700K	2700K	2700K
LI614961	ILS15MR16M930WW01	Dark Grey	15W	1230lm	82lm/W	3000K	3000K	3000K	3000K
LI614953	ILS15MR16M935WW01	Dark Grey	15W	1270lm	84.67lm/W	3500K	3500K	3500K	3500K
LI614962	ILS15MR16M940NW01	Dark Grey	15W	1330lm	88.67lm/W	4000K	4000K	4000K	4000K
LI614963	ILS15MR16M950DL01	Dark Grey	15W	1400lm	93.33lm/W	5000K	5000K	5000K	5000K


DIMENSIONS




LI614956 - LI614957 - LI614952 - LI614958 - LI614959

LI614960 - LI614961 - LI614953 - LI614962 - LI614963


PHOTOMETRIC DATA




LI614956




LI614957




LI614952




LI614958




LI614959




LI614960




LI614961



LI614953



LI614962



LI614963

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED MODULE LUMINAIRE (MR16) SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**

