



LED PRO

Simple and flexible solution to design modern light lines in professional and retail spaces

LED FLEXIBLE NEON FLEX LINEAR LIGHT (360°)

PRODUCT INFORMATION

- Modern looking, neat luminaire offering comfortable, good quality lighting and can also work as a design element.
- Ideal lighting in the non-working areas of professional spaces such as offices, educational institutes, and also the welcoming areas and entrances of retail spaces.
- ILLUS LED FLEXIBLE NEON FLEX LINEAR Light gives the customer the flexibility to choose between 2 models based on their specific need with lumen package from 950lm to 1050lm.

BENEFITS

- Clean and uniform light.
- Multiple application use.
- Easy to install and maintain.

FEATURES

- High CRI>95.
- Long lifespan 30,000 hrs.
- Operating voltage DC24V.
- Non-Dimmable.
- High lumen up to 1250lm .
- Bendable Neon Flex to 360°.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

Body Color	White
Body Material	Silicon
CRI	95
Ambient Temperature	-20°C~45°C
IEC Classification	Class III
Driver Voltage	DC24V
Switching Cycle	20000X, on/off
Dimming	Non- Dimmable
Lifespan	30000h
IP Rating	IP65
Cutting Unit	6MM
Max.Power/Reel	75W
Size/Reel	5000MM/Reel


SPECIFICATIONS

Code No.	Model No.	Rate Power	CCT	Lumen	Efficacy	Beam Angle
614922	ILS7LOVSTL930WW02	15W	3000K	950lm	63.33lm/W	360°
614923	ILS7LOVSTL940NW02	15W	4000K	1050lm	70lm/W	360°

DIMENSIONS



614922




614923

ACCESSORIES


Code No.	Model No.	Body Color	Body Material
614924	ILSLVNFSEC01	White	Silicon
614925	ILSTNFPCCL01	Clear	PC
614926	ILSTNFPCCL02	Clear	PC
614927	ILSPNFCLF01	Clear	PC+Stainles Steel
614928	ILSPNFCLF02	Clear	PC+Stainles Steel
614929	ILSTNFPCP01	Clear	PC
614930	ILSBSFC01	Black	Metal
614931	ILSBSFC02	Black	Metal
615524	ILSLVNFC01	White	Silicon+Plastic

ACCESSORIES DIMENSIONS




614924

614925




614926


ACCESSORIES DIMENSIONS



614927




614928




614929


ACCESSORIES DIMENSIONS



614930



614931





615524

FITTINGS DETAILS



Code No.	Model No.	Body Color	Body Material	IP Rating
LI680000	ILSFTH3MPLB01	Black	Aluminium	IP20
LI680001	ILSFTH3MPLW01	White	Aluminium	IP20
LI680002	ILSFTH3MPLG01	Gold	Aluminium	IP20
LI680003	ILSFTH3MPLB02	Black	Metal	IP20
LI680004	ILSFTH3MPLW02	White	Metal	IP20
LI680005	ILSFTH3MPLG02	Gold	Metal	IP20
LI680006	ILSFTH2MPLB01	Black	Metal	IP20
LI680007	ILSFTH2MPLW01	White	Metal	IP20
LI680008	ILSFTH2MPLG01	Gold	Metal	IP20
LI680009	ILSFTH2MPLB02	Black	Metal	IP20
LI680010	ILSFTH2MPLW02	White	Metal	IP20
LI680011	ILSFTH2MPLG02	Gold	Metal	IP20
LI680012	ILSFTH30WLB01	Black	Metal	IP20
LI680013	ILSFTH30WLW01	White	Metal	IP20
LI680014	ILSFTH30WLG01	Gold	Metal	IP20
LI680015	ILSFTH50WLB01	Black	Metal	IP20
LI680016	ILSFTH50WLW01	White	Metal	IP20
LI680017	ILSFTH50WLG01	Gold	Metal	IP20
LI680018	ILSFTH1MWLB01	Black	Metal	IP20
LI680019	ILSFTH1MWLW01	White	Metal	IP20
LI680020	ILSFTH1MWLG01	Gold	Metal	IP20
LI680021	ILSFTH2MWLB01	Black	Metal	IP20
LI680022	ILSFTH2MWLW01	White	Metal	IP20
LI680023	ILSFTH2MWLG01	Gold	Metal	IP20
LI680024	ILSFTH3MFLB01	Black	Metal	IP20
LI680025	ILSFTH3MFLW01	White	Metal	IP20
LI680026	ILSFTH3MFLG01	Gold	Metal	IP20
LI680027	ILSMPPKG01	Gold	Metal	IP20

FITTINGS DIMENSION WITH NEON FLEX 360°





LI680000 - LI680001 - LI680002

LI680003 - LI680004 - LI680005



LI680006 - LI680007 - LI680008



LI680009 - LI680010 - LI680011



LI680012 - LI680013 - LI680014


LI680015 - LI680016 - LI680017

FITTINGS DIMENSION WITH NEON FLEX 360°




LI680018 - LI680019 - LI680020

LI680021 - LI680022 - LI680023



LI680024 - LI680025 - LI680026

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED FLEXIBLE NEON FLEX LINEAR LIGHT (360°)

BEYOND LIGHT..
TO THE LAST DETAILS!



C/ Cuenca, 87, Alaquas 46970, (Valencia) Spain, Ph. 34 961 623 958

www.illuslighting.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

11192021V1