



Power your outdoor lighting by solar energy

LED SOLAR SURFACE-MOUNTED LUMINAIRE (WALL)

PRODUCT INFORMATION

- Ideal solution for municipalities who seek to meet their sustainability goals.
- Compact luminaire using high-quality materials is easy to dismantle and recycle at the end of its lifetime.
- ILLUS LED SOLAR SURFACE MOUNTED Luminaire (wall) gives the customer the flexibility to choose between 6 models based on their specific need with lumen package from 36lm to 300lm.

BENEFITS

- Brings light to areas without access to electric grid.
- Saves energy.
- Environment friendly.

FEATURES

- High CRI>85.
- Long Lifespan 15000H.
- Non- Dimmable.
- Good Impact Rating.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Industrial



Shopping Center



Garden



Commercial



Educational Center





TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP54
Rated CRI	85
Color Temperature	3000K
Beam Angle	110°
Ambient Temperature	-20°C~45°C
Dimming	Non-Dimmable
IEC Classification	Class III
Lifespan	15000H
Switching Cycle	20000x on/off
Warranty Period	24 Months

SPECIFICATIONS



Code No.	Model No.	Body Color	Body Material	Power	Lumen	Efficacy	IK Rating	Working Time	Charging Time	Detection Distance
614783	ILS4SWL830WW01	Black +White	ABS +PC	4W	300lm	75lm/W	IK04	10-12H	5-6H	6-8M
614784	ILS1SWL830WW01	Black	ABS+PC+Glass	1W	36lm	36lm/W	IK04	9-10H	4-6H	4-6M
614786	ILS1SSWL830WW01	Black + Transparent	Aluminum+PC	1W	70lm	70lm/W	IK06	10-12H	5-6H	4-6M
614787	ILS1RSWL830WW01	Black +Transparent	Aluminum+PC	1W	50lm	50lm/W	IK06	10-12H	5-6H	4-6M
614790	ILS3SWL830WW01	Black + White	Aluminum+PC	3W	300lm	100lm/W	IK04	10-12H	6-8H	3-6M
614793	ILS3SWL830WW02	Grey +White	PC+ABS	3W	300lm	100lm/W	IK04	10-12H	16-8H	3-6M

DIMENSIONS





614783

614784



614793

614786





614787

614790

ACCESSORIES



Code No.	Model No.	Body Color	Body Material
614791	ILSBDSLBO1	Black	Aluminum
614792	ILSBSSLBO1	Black	Aluminum
614794	ILSBDSLGR01	Grey	Iron +ABS
614795	ILSWSLGR01	Grey	ABS+PC
614796	ILSBSSLGR01	Grey	ABS

ACCESSORIES DIMENSIONS



614791 (Accessory for code LI614790)


614792 (Accessory for code LI614790)



614794 (Accessory for code LI614793)

614795 (Accessory for code LI614793)

ACCESSORIES DIMENSIONS



614796 (Accessory for code LI614793)



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED SOLAR SURFACE-MOUNTED LUMINAIRE (WALL)

**BEYOND LIGHT..
TO THE LAST DETAILS!**

