

## Simple & Flexible Solution

### LED WALL GRAZER LUMINAIRE SERIES

#### PRODUCT INFORMATION

- Excellently anti-dust LED with professional design to guarantee lighting performance.
- This luminaire is suitable for walkways, building facades, landscapes, mounted focal points-buildings & bridges.
- It not only ensures high quality of lighting color consistency but also protect products against from harsh environments.
- ILLUS LED Wall Grazer Luminaire gives the customer the flexibility to choose between 12 models based on their specific need with lumen package from 250lm to 2550lm.

#### BENEFITS

- Vivid light color.
- Less maintenance cost and low consumption.
- Provides peculiar lighting effects for inground and wall applications.
- Offers sustainability, durability and low optimal light output.
- Equipped with surge protection function.

#### FEATURES

- High CRI>85.
- Long lifespan 30000H.
- Operating voltage AC220-240V.
- Non-Dimmable.
- Good Impact Rating.



**BEYOND LIGHT..  
TO THE LAST DETAILS!**

## AREAS OF APPLICATION



Shopping Center



Commercial



Educational Center


## TECHNICAL OPERATING & ELECTRICAL DATA

Body Color	Silver + Black
Body Material	Stainless Steel+Aluminum
Rated CRI	85
Voltage & Frequency	AC220-240V, 50/60Hz
IEC Classification	Class I
Dimming	Non- Dimmable
IP Rating	IP67
IK Rating	IK08
Ambient Temperature	-20°C~50°C
Beam Angle	15°*24°
Saving Energy	Energy Saving
Lifespan	30000H
Switching Cycle	100000X on/off
Warranty Period	36 Months


## SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT	Current	D.F	P.F
LI615554	ILS36AWGLL830WW01	36W	2300lm	63.89lm/W	3000K	320mA	0.88	0.5
LI615555	ILS24AWGLL830WW01	25W	1450lm	58lm/W	3000K	110mA	0.95	0.95
LI615556	ILS18AWGLL830WW01	19W	1150lm	60.53lm/W	3000K	90mA	0.98	0.94
LI615557	ILS12AWGLL830WW01	13W	750lm	57.69lm/W	3000K	120mA	0.98	0.45
LI615558	ILS09AWGLL830WW01	11W	640lm	58.18lm/W	3000K	110mA	0.99	0.43
LI615559	ILS06AWGLL830WW01	5W	250lm	50lm/W	3000K	50mA	0.96	0.38
LI615560	ILS36AWGLL840NW01	36W	2550lm	70.83lm/W	4000K	320mA	0.88	0.5
LI615561	ILS24AWGLL840NW01	25W	1650lm	66lm/W	4000K	110mA	0.95	0.95
LI615562	ILS18AWGLL840NW01	19W	1300lm	68.42lm/W	4000K	90mA	0.98	0.94
LI615563	ILS12AWGLL840NW01	13W	850lm	65.38lm/W	4000K	120mA	0.98	0.45
LI615564	ILS09AWGLL840NW01	11W	720lm	65.45lm/W	4000K	110mA	0.99	0.43
LI615565	ILS06AWGLL840NW01	5W	300lm	60lm/W	4000K	50mA	0.96	0.38


## **DIMENSIONS**



LI615554 - LI615555 - LI615560 - LI615561 (Cutting Size L982-W53.6)



LI615556 - LI615557 - LI615562 - LI615563 (Cutting Size L482-W53.6)



LI615558 - LI615564 (Cutting Size L282-W53.6)

LI615559 - LI615565 (Cutting Size L132-W53.6)



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

## **LED WALL GRAZER LUMINAIRE SERIES**

**BEYOND LIGHT..  
TO THE LAST DETAILS!**

