



**LED PRO**

## Simple & Flexible Solution

### LED FLEXIBLE LINEAR LIGHT

#### PRODUCT INFORMATION

- Excellently anti-dust LED strips with professional design to guarantee lighting performance.
- It not only ensure high quality of lighting color consistency but also protect products against from harsh environments.
- ILLUS LED FLEXIBLE LINEAR Light gives the customer the flexibility to choose between 8 models based on their specific need with lumen package from 1250 lm to 1700 lm.

#### BENEFITS

- Vivid light color.
- Less maintenance cost and less concerns.

#### FEATURES

- High CRI>95.
- Operating voltage DC225V.



**BEYOND LIGHT..  
TO THE LAST DETAILS!**

## AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


## TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP65
Body Color	White
Body Material	PVC
CRI	95
Lumen	from 1250 to 1700lm/M+/-10%
Input Voltage	DC225V
Cutting Unit	500mm
Beam Angle	120°
Dimming	Non- Dimmable
IEC Classification	Class II
Fixed or Adjustable	Adjustable
Life Span	30000hrs

## SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	Size/Reel	CCT
614037	ILS9HIVISTL927WW02	9W	1250lm	138.89lm/W	30M/Reel	2700K
614038	ILS9HIVISTL930WW02	9W	1270lm	141.11lm/W	30M/Reel	3000K
614039	ILS9HIVISTL940NW02	9W	1300lm	144.44lm/W	30M/Reel	4000K
614040	ILS9HIVISTL950DL02	9W	1350lm	150lm/W	30M/Reel	5000K
614041	ILS12HIVISTL927WW02	12W	1600lm	133.33lm/W	30M/Reel	2700K
614042	ILS12HIVISTL930WW02	12W	1620lm	135lm/W	30M/Reel	3000K
614043	ILS12HIVISTL940NW02	12W	1650lm	137.50lm/W	30M/Reel	4000K
614044	ILS12HIVISTL950DL02	12W	1700lm	141.67lm/W	30M/Reel	5000K

## DIMENSIONS




614037 - 614038 - 614039 - 614040 - 614041 - 614042 - 614043 - 614044

## ACCESSORIES

LED FLEXIBLE LINEAR LIGHT CONNECTOR  
AVAILABLE AS AN ACCESSORY

Code No.	Model No.	Body Color	Body Material	Power	Voltage	Frequency
614045	ILS250HVFLLCG04	white	plastic	250W	230V	50/60Hz
614046	ILS400HVFLLCG04	White	plastic	400W	230V	50/60Hz
614047	ILSHVFLLCG01	transparent+white	plastic			
614048	ILSHVSTFCT01	transparent	plastic			

## ACCESSORIES DIMENSIONS



614045 - 614046 - Driver



614047 - Connector

614048 - Connector

## APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

## LED FLEXIBLE LINEAR LIGHT

BEYOND LIGHT..  
TO THE LAST DETAILS!



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

[www.illusillumination.com](http://www.illusillumination.com)

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.