




LED PRO

Simple and flexible solution to design modern light lines in professional and retail spaces

LED MAGNETIC TRACK LIGHT SERIES

PRODUCT INFORMATION

- Modern looking, neat luminaire offering comfortable, good quality lighting and can also work as a design element.
- Ideal lighting in the non-working areas of professional spaces such as offices, educational institutes, and also the welcoming areas and entrances of retail spaces.
- ILLUS LED MAGNETIC TRACK Light gives the customer the flexibility to choose between 8 models based on their specific need with lumen package from 570lm to 1900lm.

BENEFITS

- Clean and uniform light.
- Multiple application use.
- Easy to install and maintain.

FEATURES

- High CRI>90.
- Efficacy up to 81lm/w.
- Long life span 30000H.
- Operating voltage DC48V.
- Non-Dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP20
Rated CRI	90
Body Color	Sandy Black
Body Material	Aluminum
IEC Classification	Class III
Operating Voltage	DC48V
Beam Angle	90°
Ambient Temperature	-20°C~45°C
Dimming	Non-Dimmable
Lifespan	30000H
Switching Cycle	100000x on/off
Warranty Period	36 Months


SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT
613643	ILS9W110DMTL930WW03	8W	570lm	71.25lm/W	3000K
613644	ILS9W110DMTL940NW03	8W	600lm	75lm/W	4000K
613645	ILS15W110DMTL930WW03	15W	1110lm	74lm/W	3000K
613646	ILS15W110DMTL940NW03	15W	1170lm	78lm/W	4000K
613647	ILS20W110DMTL930WW03	21W	1600lm	76.19lm/W	3000K
613648	ILS20W110DMTL940NW03	21W	1700lm	80.95lm/W	4000K
613649	ILS24W110DMTL930WW03	24W	1750lm	72.92lm/W	3000K
613650	ILS24W110DMTL940NW03	24W	1900lm	79.17lm/W	4000K


DIMENSIONS




613643 - 613644



613645 - 613646



613647 - 613648




613649 - 613650


ACCESSORIES

Code No.	Model No.	Body Color	Body Material	Power
613669	ILS1M4RTLB01	sandy black	aluminum	/
613670	ILS2M4RTLB01	sandy black	aluminum	/
613671	ILS3M4RTLB01	sandy black	aluminum	/
613672	ILS1M4RTLB02	sandy black	aluminum	/
613673	ILS2M4RTLB02	sandy black	aluminum	/
613674	ILS3M4RTLB02	sandy black	aluminum	/
613675	ILS48VPSTRK01	sandy black	plastic	150W
613676	ILSRATRK01	sandy black	aluminum	/
613677	ILSRATRK02	sandy black	aluminum	/
613678	ILSSMATRK01	sandy black	aluminum	/
613679	ILSSMATRK02	sandy black	aluminum	/
613680	ILSCITRK01	sandy black	plastic	/
613681	ILSCLTRK01	sandy black	plastic	/
613682	ILSPKITTRK01	nickle	steel	/
613683	ILSTKITTRK01	sliver	aluminum	/


ACCESSORIES DIMENSIONS



613669 - 613670 - 613671







613672- 613673 - 613674



613676


613677

ACCESSORIES DIMENSIONS




613678


613679



613675




613680




613681

ACCESSORIES DIMENSIONS



613682



613683



LED MAGNETIC TRACK LIGHT SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**

