



LED PRO

Simple and flexible solution to design modern light lines in professional and retail spaces

LED MAGNETIC TRACK SPOT LIGHT SERIES

PRODUCT INFORMATION

- Modern looking, neat luminaire offering comfortable, good quality lighting and can also work as a design element.
- Ideal lighting in the non-working areas of professional spaces such as offices, educational institutes, and also the welcoming areas and entrances of retail spaces.
- ILLUS LED MAGNETIC TRACK SPOT Light gives the customer the flexibility to choose between 6 models based on their specific need with lumen package from 800lm to 1450lm.

BENEFITS

- Clean and uniform light.
- Multiple application use.
- Easy to install and maintain.

FEATURES

- High CRI>90.
- Efficacy up to 106lm/w.
- Long life span 30000H.
- Operating voltage DC48V.
- Non-Dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center





TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP20
CRI	90
Body Color	Sandy White
Body Material	Aluminum
IEC Classification	Class III
Operating Voltage	DC48V
Beam Angle	24°
Ambient Temperature	-20°C~45°C
Dimming	Non-Dimmable
Lifespan	30000H
Switching Cycle	100000x on/off
Warranty Period	36 Months

SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT
614546	ILS8W24DMTSL930WWW01	8W	800lm	100lm/W	3000K
614547	ILS8W24DMTSL940NWW01	8W	850lm	106.25lm/W	4000K
614548	ILS12.5W24DMTSL930WWW01	12.5W	1150lm	92lm/W	3000K
614549	ILS12.5W24DMTSL940NWW01	12.5W	1220lm	97.60lm/W	4000K
614550	ILS16W24DMTSL930WWW01	16W	1350lm	84.38lm/W	3000K
614551	ILS16W24DMTSL940NWW01	16W	1450lm	90.63lm/W	4000K

DIMENSIONS




614546 - 614547 - 614548 - 614549

614550 - 614551


ACCESSORIES

Code No.	Model No.	Body Color	Body Material	Power
614564	ILS1M4RTLW01	sandy white	aluminum	/
614565	ILS2M4RTLW01	sandy white	aluminum	/
614566	ILS3M4RTLW01	sandy white	aluminum	/
614567	ILS1M4RTLW02	sandy white	aluminum	/
614568	ILS2M4RTLW02	sandy white	aluminum	/
614569	ILS3M4RTLW02	sandy white	aluminum	/
614570	ILS48VPSTRKW01	sandy white	plastic	150W
614571	ILSRATRKW01	sandy white	aluminum	/
614572	ILSRATRKW02	sandy white	aluminum	/
614573	ILSSMATRKW01	sandy white	aluminum	/
614574	ILSSMATRKW02	sandy white	aluminum	/
614575	ILSCITRKW01	sandy white	plastic	/
614576	ILSCLTRKW01	sandy white	plastic	/
613682	ILSPKITTRK01	silver	steel	/
613683	ILSTKITTRK01	silver	aluminum	/


ACCESSORIES DIMENSIONS



614564 - 614565 - 614566







614567 - 614568 - 614569



614571


614572

ACCESSORIES DIMENSIONS




614573


614574



614570




614575




614576

ACCESSORIES DIMENSIONS



613682



613683



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED MAGNETIC TRACK SPOT LIGHT SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**

