



LED PRO

Simple and flexible solution to design modern light lines in professional and retail spaces

LED MAGNETIC TRACK SPOT LIGHT SERIES

PRODUCT INFORMATION

- Modern looking, neat luminaire offering comfortable, good quality lighting and can also work as a design element.
- Ideal lighting in the non-working areas of professional spaces such as offices, educational institutes, and also the welcoming areas and entrances of retail spaces.
- ILLUS LED MAGNETIC TRACK SPOT Light gives the customer the flexibility to choose between 6 models based on their specific need with lumen package from 800 lm to 1450 lm.

BENEFITS

- Clean and uniform light.
- Multiple application use.
- Easy to install and maintain.

FEATURES

- High CRI>90.
- Efficacy up to 106lm/w.
- Long lifespan 30000H.
- Operating voltage DC48V.
- Non-Dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP20
CRI	90
Body Color	Sandy Black
Body Material	Aluminum
IEC Classification	Class III
Operating Voltage	DC48V
Beam Angle	24°
Ambient Temperature	-20°C~45°C
Dimming	Non-Dimmable
Lifespan	30000H
Switching Cycle	100000x on/off
Warranty Period	36 Months


SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT
613651	ILS9W24DMTSL930WW01	8W	800lm	100lm/W	3000K
613652	ILS9W24DMTSL940NW01	8W	850lm	106.25lm/W	4000K
613653	ILS12W24DMTSL930WW01	12.5W	1150lm	92lm/W	3000K
613654	ILS12W24DMTSL940NW01	12.5W	1220lm	97.60lm/W	4000K
613655	ILS18W24DMTSL930WW01	16W	1350lm	84.38lm/W	3000K
613656	ILS18W24DMTSL940NW01	16W	1450lm	90.63lm/W	4000K

DIMENSIONS



613651 - 613652 - 613653 - 613654




613655 - 613656


ACCESSORIES

Code No.	Model No.	Body Color	Body Material	Power
613669	ILS1M4RTLB01	sandy black	aluminum	/
613670	ILS2M4RTLB01	sandy black	aluminum	/
613671	ILS3M4RTLB01	sandy black	aluminum	/
613672	ILS1M4RTLB02	sandy black	aluminum	/
613673	ILS2M4RTLB02	sandy black	aluminum	/
613674	ILS3M4RTLB02	sandy black	aluminum	/
613675	ILS48VPSTRK01	sandy black	plastic	150W
613676	ILSRATRK01	sandy black	aluminum	/
613677	ILSRATRK02	sandy black	aluminum	/
613678	ILSSMATRK01	sandy black	aluminum	/
613679	ILSSMATRK02	sandy black	aluminum	/
613680	ILSCITRK01	sandy black	plastic	/
613681	ILSCLTRK01	sandy black	plastic	/
613682	ILSPKITTRK01	nickle	steel	/
613683	ILSTKITTRK01	sliver	aluminum	/


ACCESSORIES DIMENSIONS



613669 - 613670 - 613671







613672- 613673 - 613674



613676


613677

ACCESSORIES DIMENSIONS




613678


613679



613675




613680




613681

ACCESSORIES DIMENSIONS



613682



613683

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED MAGNETIC TRACK SPOT LIGHT SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**

