



LED **PRO**

Simple and flexible solution to design modern light lines in professional and retail spaces

LED MAGNETIC TRACK PENDANT LIGHT SERIES

PRODUCT INFORMATION

- Modern looking, neat luminaire offering comfortable, good quality lighting and can also work as a design element.
- Ideal lighting in the non-working areas of professional spaces such as offices, educational institutes, and also the welcoming areas and entrances of retail spaces.
- ILLUS LED MAGNETIC TRACK SPOT Light gives the customer the flexibility to choose between 12 models based on their specific need with lumen package from 370lm to 1050lm.

BENEFITS

- Clean and uniform light.
- Multiple application use.
- Easy to install and maintain.

FEATURES

- High CRI>90.
- Efficacy up to 106lm/w.
- Long lifespan 30000H.
- Operating voltage DC48V.
- Non-Dimmable.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP20
Rated CRI	90
Body Color	Sandy White
Body Material	Aluminum+Industrial Plastic
IEC Classification	Class III
Operating Voltage	DC48V
Beam Angle	24°
Ambient Temperature	-20°C~45°C
Dimming	Non-Dimmable
Lifespan	30000H
Switching Cycle	100000x on/off
Warranty Period	36 Months


SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT
614552	ILS8.5W24DMTPL930WWW01	8.5W	850lm	100lm/W	3000K
614553	ILS8.5W24DMTPL940NWW01	8.5W	900lm	105.88lm/W	4000K
614554	ILS5W24DMTPL930WWW01	5W	450lm	90lm/W	3000K
614555	ILS5W24DMTPL940NWW01	5W	480lm	96lm/W	4000K
614556	ILS7W24DMTPL930WWW01	7W	650lm	92.86lm/W	3000K
614557	ILS7W24DMTPL940NWW01	7W	700lm	100lm/W	4000K
614558	ILS12W24DMTPL930WWW01	12W	950lm	79.17lm/W	3000K
614559	ILS12W24DMTPL940NWW01	12W	1050lm	87.50lm/W	4000K
614560	ILS4.5W24DMTPL930WWW01	4.5W	370lm	82.22lm/W	3000K
614561	ILS4.5W24DMTPL940NWW01	4.5W	450lm	100lm/W	4000K
614562	ILS4.5W24DMTPL930WWW02	4.5W	380lm	84.44lm/W	3000K
614563	ILS4.5W24DMTPL940NWW02	4.5W	400lm	88.89lm/W	4000K


DIMENSIONS




614552 - 614553



614554 - 614555




614556 - 614557




614558 - 614559

■ DIMENSIONS



614560 - 614561




614562 - 614563


ACCESSORIES

Code No.	Model No.	Body Color	Body Material	Power
614564	ILS1M4RTLW01	Sandy White	Aluminum	~
614565	ILS2M4RTLW01	Sandy White	Aluminum	~
614566	ILS3M4RTLW01	Sandy White	Aluminum	~
614567	ILS1M4RTLW02	Sandy White	Aluminum	~
614568	ILS2M4RTLW02	Sandy White	Aluminum	~
614569	ILS3M4RTLW02	Sandy White	Aluminum	~
614570	ILS48VPSTRKW01	Sandy White	Plastic	150W
614571	ILSRATRKW01	Sandy White	Aluminum	~
614572	ILSRATRKW02	Sandy White	Aluminum	~
614573	ILSSMATRKW01	Sandy White	Aluminum	~
614574	ILSSMATRKW02	Sandy White	Aluminum	~
614575	ILSCITRKW01	Sandy White	Plastic	~
614576	ILSCLTRKW01	Sandy White	Plastic	~
613682	ILSPKITTRK01	Silver	Steel	~
613683	ILSTKITTRK01	Silver	Aluminum	~





ACCESSORIES DIMENSIONS



614564 - 614565 - 614566







614567 - 614568 - 614569



614571


614572

ACCESSORIES DIMENSIONS




614573


614574



614570




614575




614576

ACCESSORIES DIMENSIONS



613682



613683



LED MAGNETIC TRACK PENDANT LIGHT SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**

