

Simple and flexible solution to design modern light lines in professional and retail spaces

# LED MAGNETIC LIGHT SERIES

## PRODUCT INFORMATION

- Modern looking, neat luminaire offering comfortable, good quality lighting and can also work as a design element.
- Ideal lighting in the non-working areas of professional spaces such as offices, educational institutes, and also the welcoming areas and entrances of retail spaces.
- ILLUS LED MAGNETIC LIGHT gives the customer the flexibility to choose between 12 models based on their specific need with lumen package from 800lm to 3600lm.

## **BENEFITS**

- Clean and uniform light.
- Multiple application use.
- Easy to install and maintain.

## **FEATURES**

- High CRI>90.
- Efficacy up to 100lm/w.
- Long lifespan 30000H.
- Operating voltage DC48V.
- Non-Dimmable.



# **AREAS OF APPLICATION**





Hospitality

Shopping Center





Commercial

Educational Center


# I TECHNICAL OPERATING & ELECTRICAL DATA

IP Ratings	IP20
CRI	90
ССТ	4000K
Body Material	Aluminum
Ambient Temperature	-20°C~45°C
Operating Voltage	DC48V
IEC Classification	Class III
Dimming	Non-Dimmable
Lifespan	30000Н
Switching Cycle	100000x on/off
Warranty Period	36 Months

# **SPECIFICATIONS**

Code No.	Model No.	Body Color	Power	Lumen	Efficacy	Beam Angle
LI614755	ILS38W28DMTL940NW02	Sandy White	38W	3600lm	94.74lm/W	30°
LI614757	ILS38W90DFMTL940NW02	Sandy White	38W	2950lm	77.63lm/W	90°
LI614759	ILS38W28DAMTL940NW02	Sandy White	38W	3600lm	94.74lm/W	30°
LI614761	ILS20W110DLMTL940NW02	Sandy White	20W	1600lm	80lm/W	90°
LI614763	ILS8WZMTL940NW02	Sandy White	8W	800lm	100lm/W	15°~55°
LI614765	ILS16WZMTL940NW02	Sandy White	16W	1600lm	100lm/W	15°~55°
LI614767	ILS38W28DMTL940NW01	Sandy Black	38W	3600lm	94.74lm/W	30°
LI614769	ILS38W90DFMTL940NW01	Sandy Black	38W	2950lm	77.63lm/W	90°
LI614771	ILS38W28DAMTL940NW01	Sandy Black	38W	3600lm	94.74lm/W	30°
LI614773	ILS20W110DLMTL940NW01	Sandy Black	20W	1600lm	80lm/W	90°
LI614775	ILS8WZMTL940NW01	Sandy Black	8W	800lm	100lm/W	15°~55°
LI614777	ILS16WZMTL940NW01	Sandy Black	16W	1600lm	100lm/W	15°~55°

# **DIMENSIONS**




LI614755 - LI614767




LI614757 - LI614769




## LI614759 - LI614771



LI614761 - LI614773






LI614763 - LI614775

# **ACCESSORIES**


Code No.	Model No.	Body Color	Body Material
LI614655	ILSCITRK02	White	plastic

# **ACCESSORIES DIMENSIONS**



LI614601 - LI614655

## **APPLICATION PICTURE**



LED MAGNETIC LIGHT SERIES BEYOND LIGHT..
TO THE LAST DETAILS!

