




Simple & *Flexible* Solution

LED IN-GROUND LUMINAIRE SERIES

PRODUCT INFORMATION

- Excellently anti-dust LED with professional design to guarantee lighting performance.
- It not only ensures high quality of lighting color consistency but also protect products against from harsh environments.
- ILLUS LED Wall Grazer Luminaire gives the customer the flexibility to choose between 3 models based on their specific need with lumen package from 800lm to 2500lm.

BENEFITS

- Vivid light color.
- Less maintenance cost and less concerns.
- Equipped with surge protection function.

FEATURES

- High CRI>85.
- Lifespan 50,000H.
- Operating voltage AC220-240V.
- Non-dimmable.
- Good Impact Rating.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center



TECHNICAL OPERATING & ELECTRICAL DATA

Body Color	Silver + Black
Body Material	Stainless steel + Aluminum
CCT	3000K
CRI	>85
Voltage & Frequency	AC220-240V, 50/60Hz
Ambient Temperature	-20C°~45C°
IP Rating	IP67
Electrical Classification	Class I
Beam Angle	24°
Dimming	Non-Dimmable
Surge Protection	2kV
IK Rating	IK08
Switching Cycle	100000x on/off
Lifespan	50000H
Warranty Period	36 Months



SPECIFICATIONS

Code No.	Model No.	Wattage	Lumen	Efficacy	D.F	P.F	Current
LI615570	ILS36RMOIGL01	36W	2500lm	69.44lm/W	0.97	0.50	310mA
LI615571	ILS18RMOIGL01	18W	1200lm	66.67lm/W	0.99	0.52	160mA
LI615572	ILS10RMOIGL03	10W	800lm	80lm/W	0.97	0.44	100mA



DIMENSIONS



LI615570 (Cutting Size-L982*W53.6)



LI615571 (Cutting Size-L482*W53.6)



LI615572 (Cutting Size-L282*W53.6)



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED IN-GROUND LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



build-station



lighting stores



illus lighting

C/ Cuenca, 87, Alaquas 46970, (Valencia) Spain, Ph. 34 961 623 958

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.