



LED PENDANT LIGHT LUMINAIRE SERIES

PRODUCT INFORMATION

- Ilicit LED Pendant Luminaires offer a sophisticated blend of form and function, engineered for architectural versatility across residential and commercial interiors.
- Designed for use in a wide range of environments—living rooms, kitchens, offices, and more—these fixtures ensure consistent lighting performance and visual harmony.
- Integrated crystal accents enhance light dispersion and create a luxurious, refined ambiance.
- Available in 2 configurable models, allowing tailored adjustments to color temperature and dimensions for scalable, application-specific solutions.

BENEFITS

- Designed for low energy consumption and extended operational life, promoting long-term cost savings and reduced environmental impact.
- Engineered for longevity and efficient thermal management, LED pendant luminaires ensure reliable performance and extended service life.
- Versatile design, LED pendant luminaires complement a wide range of interior styles and are widely adopted in both residential and commercial environments.

FEATURES

- High CRI \geq 90.
- Lifespan 30,000H.
- Operating Voltage AC220-240V.
- Non-Dimmable.



BEYOND LIGHT..
TO THE LAST DETAILS!

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

| | |
|---------------------------|-----------------------------|
| Body Material | Glass+Aluminum+Iron+Acrylic |
| Color Temperature | 3000K |
| CRI | ≥90 |
| Input Voltage & Frequency | AC220-240V, 50/60Hz |
| Ambient Temperature | -20C°~45C° |
| IP Rating | IP20 |
| IEC Classification | Class I |
| Beam Angle | 120° |
| Dimming | Non-Dimmable |
| Switching Cycle | 100000x on/off |
| Lifespan | 30,000H |
| Warranty Period | 36 Months |

SPECIFICATIONS

| Code No. | Model No. | Body Color | Wattage | D.F | P.F | Current |
|----------|-----------------|-------------|---------|-----|-----|---------|
| LI661754 | ILT9DPL930BRA01 | Copper | 10W | 0.9 | 0.8 | 56mA |
| LI661755 | ILT9DPL930BS01 | Sandy Black | 10W | 0.9 | 0.8 | 56mA |


SPECIFICATIONS



ACCESSORIES SPECIFICATIONS

| Code No. | Model No. | Body Color | Body Material |
|------------|-----------------|------------|---------------|
| LI661754GS | ILT9DPL930BRAGS | Amber | Glass |
| LI661755GS | ILT9DPL930BSGS | Smoke Grey | Glass |

ACCESSORIES DIMENSIONS



LI661754GS - LI661755GS



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED PENDANT LIGHT LUMINAIRE SERIES

BEYOND LIGHT..
TO THE LAST DETAILS!



build-station



lighting stores



illus lighting

C/ Cuenca, 87, Alaquas 46970, (Valencia) Spain, Ph. 34 961 623 958

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.