



Make your boundaries stand out

LED WALL-MOUNTED LUMINAIRE SERIES

PRODUCT INFORMATION

- Surface mounted, exterior-rated and compact sized architectural LED edge lighting luminaire that is designed for façade and outdoor decorative lighting applications.
- Ideal for edges lighting on windows and doors inner frames, building façades, landmarks and monuments.
- ILLUS LED WALL MOUNTED Luminaire gives the customer the flexibility to choose between 10 models based on their specific need with lumen package from 820lm to 1000lm.

BENEFITS

- Unique optical distribution to highlight the inner frame or outer edges of windows, balconies or doors.
- Compact size.
- Light weight.
- Equipped with surge protective function.

FEATURES

- High CRI>80.
- Efficacy up to 83lm/w.
- Long lifespan 30,000H.
- Operating voltage AC100–240V.
- Non-Dimmable.
- Good Impact Rating.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Commercial



Shopping Center



Educational center



Garden


TECHNICAL OPERATING & ELECTRICAL DATA

Voltage & Frequency	AC100-240V, 50/60Hz
Rated CRI	80
Color Temperature	3000K
Beam Angle	120°
Ingress Protection Rating	IP65
Surge Protection	2kV
IK Rating	IK08
Ambient Temperature	-20°C~45°C
Dimming	Non-Dimmable
Lifespan	30000H
Switching Cycle	100000x on/off
Warranty Period	36 Months


SPECIFICATIONS

Code No.	Model No.	Body Color	Body Material	Power	Lumen	Efficacy
521270	ILS12CLWW01	Dark Grey	Aluminum+PC	12W	900lm	75lm/W
521271	ILS12CLWW02	Dark Grey	Aluminum+PC	12W	820lm	68.33lm/W
521272	ILS12CLWW03	Dark Grey	Aluminum+PC	12W	950lm	79.17lm/W
521273	ILS12CLWW04	Dark Grey	Aluminum+PC	12W	860lm	71.67lm/W
521274	ILS12CLWW05	Dark Grey	Aluminum+PC	12W	880lm	73.33lm/W
521275	ILS12CLWW06	Dark Grey	Aluminum+PC	12W	860lm	71.67lm/W
521276	ILS12CLWW07	Dark Grey	Aluminum+PC	12W	820lm	68.33lm/W
521277	ILS12CLWW08	Dark Grey	Aluminum+PC	12W	1000lm	83.33lm/W
521278	ILS12CLWW09	Dark Grey	Aluminum+PC	12W	840lm	70lm/W
521279	ILS12CLWW10	Dark Grey	Aluminum+PC	12W	820lm	68.33lm/W


DIMENSIONS




521270, 521271



521272, 521273



521274, 521275, 521276



521277, 521278, 521279

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED WALL-MOUNTED LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

08/2021M1