



LED WALL LIGHT LUMINAIRE SERIES

PRODUCT INFORMATION

- Adaptable and energy-efficient lighting solution perfect for a wide range of spaces.
- Equipped with long-lasting LED technology.
- Offered in diverse styles and designs, ideal for bedrooms, living rooms, offices, and other areas.
- The ilict LED wall luminaire is available in 6 model variants, offering flexibility to match specific lighting needs and design preferences.

BENEFITS

- Provides enhanced energy efficiency, reducing power consumption significantly relative to incandescent and halogen lighting technologies.
- Engineered for extended operational lifespan, commonly rated at 30,000 hours or more under standard usage conditions.
- Low heat, high efficiency- safer lighting that protects your space.

FEATURES

- High CRI \geq 80.
- Lifespan 30,000H.
- Operating Voltage AC220-240V.
- Non-Dimmable.



AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center



TECHNICAL OPERATING & ELECTRICAL DATA

Body Material	Metal
Rated CRI	≥80
Voltage & Frequency	AC220-240V, 50/60Hz
Ambient Temperature	-20°C~45°C
IEC Classification	Class I
IP Rating	IP20
Dimming	Non-Dimmable
Switching Cycle	50000x on/off
Lifespan	30,000H
Warranty Period	36 Months

SPECIFICATIONS

Code No.	Model No.	Body Color	Wattage	CCT	D.F	P.F	Current
LI661731	ILT3DRDL930B02	Black	3.5W	3000K	0.98	0.47	34mA
LI661732	ILT3DRDL930W02	White	3.5W	3000K	0.98	0.47	34mA
LI661733	ILT3DRDL930MBR02	Brass	3.5W	3000K	0.98	0.47	34mA
LI661734	ILT3DRDL930B03	Black	2W	3000K	0.99	0.49	16mA
LI661735	ILT3DRDL930W03	White	2W	3000K	0.99	0.49	16mA
LI661736	ILT3DRDL930MBR03	Brass	2W	3000K	0.99	0.49	16mA

DIMENSIONS





This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED WALL LIGHT LUMINAIRE SERIES

BEYOND LIGHT..
TO THE LAST DETAILS!



build-station



lighting stores



illus lighting