



LED PRO

LED PENDANT LIGHT LUMINAIRE SERIES

PRODUCT INFORMATION

- Ilicit LED Pendant Luminaires offer a sophisticated blend of form and function, engineered for architectural versatility across residential and commercial interiors.
- Designed for use in a wide range of environments—living rooms, kitchens, offices, and more—these fixtures ensure consistent lighting performance and visual harmony.
- Integrated crystal accents enhance light dispersion and create a luxurious, refined ambiance.
- Available in 11 configurable models, allowing tailored adjustments to color temperature and dimensions for scalable, application-specific solutions.

BENEFITS

- Designed for low energy consumption and extended operational life, promoting long-term cost savings and reduced environmental impact.
- Engineered for longevity and efficient thermal management, LED pendant luminaires ensure reliable performance and extended service life.
- Versatile design, LED pendant luminaires complement a wide range of interior styles and are widely adopted in both residential and commercial environments.

FEATURES

- High CRI \geq 80.
- Lifespan 30,000H.
- Operating Voltage AC220-240V.
- Non-Dimmable.



BEYOND LIGHT..
TO THE LAST DETAILS!

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

Body Material	Metal + Glass
Color Temperature	3000K
Rated CRI	≥80
Input Voltage & Frequency	AC220-240V, 50/60Hz
Ambient Temperature	-20°C~45°C
IP Rating	IP20
IEC Classification	Class I
Dimming	Non-Dimmable
Switching Cycle	50000x on/off
Lifespan	30000H
Warranty Period	36 Months


SPECIFICATIONS

Code No.	Model No.	Body Color	Wattage	D.F	P.F	Current
LI661684	ILT6DPL930BS01	Black + Smoky	14W	0.9	0.62	100mA
LI661685	ILT15DPL930BS01	Black + Smoky	23W	0.9	0.62	160mA
LI661687	ILT6DPL930BRP01	Brass + Pink	10W	0.9	0.62	70mA
LI661688	ILT3DPL930BRP01	Brass + Pink	6W	0.9	0.63	40mA
LI661699	ILT5DPL930BCH01	Brass + Amber	9W	0.8	0.79	48mA
LI661702	ILT5DPL930BRA01	Brass + Amber	6W	0.76	0.73	37mA
LI661703	ILT10DPL930BRA01	Brass + Amber	12W	0.88	0.84	64mA
LI661704	ILT15DPL930BRA01	Brass + Amber	17W	0.94	0.87	80mA
LI661705	ILT20DPL930BRA01	Brass + Amber	24W	0.94	0.95	110mA
LI661706	ILT10DPL930BRW01	Brass + White + Smoky	14W	0.9	0.61	100mA
LI661707	ILT20DPL930BRW01	Brass + White + Smoky	31W	0.97	0.97	140mA


DIMENSIONS




LI661684




LI661685




LI661687



LI661688





LI661699





LI661702

DIMENSIONS



LI661703


LI661704



LI661706

LI661705

DIMENSIONS




L1661707

ACCESSORIES SPECIFICATIONS

Code No.	Model No.	Body Color	Body Material	IP
LI661684GS1	ILT6DPL930BSGS1	Smoky	Glass	IP20
LI661684GS2	ILT6DPL930BSGS2	Smoky	Glass	IP20
LI661685GS1	ILT15DPL930BSGS1	Smoky	Glass	IP20
LI661685GS2	ILT15DPL930BSGS2	Smoky	Glass	IP20
LI661685GS3	ILT15DPL930BSGS3	Smoky	Glass	IP20
LI661687GS1	ILT6DPL930BRPGS1	Pink	Glass	IP20
LI661687GS2	ILT6DPL930BRPGS2	Pink	Glass	IP20
LI661688GS	ILT3DPL930BRPGS	Pink	Glass	IP20
LI661699GS	ILT5DPL930BCHGS	Amber	Glass	IP20
LI661702GS	ILT5DPL930BRAGS	Amber	Glass	IP20
LI661703GS1	ILT10DPL930BRAGS1	Amber	Glass	IP20
LI661703GS2	ILT10DPL930BRAGS2	Amber	Glass	IP20
LI661704GS1	ILT15DPL930BRAGS1	Amber	Glass	IP20
LI661704GS2	ILT15DPL930BRAGS2	Amber	Glass	IP20
LI661705GS1	ILT20DPL930BRAGS1	Amber	Glass	IP20
LI661705GS2	ILT20DPL930BRAGS2	Amber	Glass	IP20
LI661705GS3	ILT20DPL930BRAGS3	Amber	Glass	IP20
LI661706GS	ILT10DPL930BRWGS	White	Glass	IP20
LI661707GS1	ILT20DPL930BRWGS1	Smoky	Glass	IP20
LI661707GS2	ILT20DPL930BRWGS2	White	Glass	IP20
LI661707GS3	ILT20DPL930BRWGS3	Smoky	Glass	IP20



ACCESSORIES DIMENSIONS



LI661684GS1 - LI661685GS1



LI661684GS2 - LI661685GS3

ACCESSORIES DIMENSIONS





LI661685GS2

LI661687GS1 - LI661688GS



LI661687GS2



LI661699GS



LI661702GS - LI661703GS2



LI661703GS1 - LI661705GS1

ACCESSORIES DIMENSIONS




LI661704GS1 - LI661705GS2

LI661704GS2 - LI661705GS3



LI661706GS - LI661707GS2

LI661707GS1



LI661707GS3

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED PENDANT LIGHT LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



build-station



lighting stores



illus lighting

C/ Cuenca, 87, Alaquas 46970, (Valencia) Spain, Ph. 34 961 623 958

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.