



LED PENDANT LIGHT LUMINAIRE SERIES

PRODUCT INFORMATION

- Ilicit LED Pendant Luminaires offer a sophisticated blend of form and function, engineered for architectural versatility across residential and commercial interiors.
- Designed for use in a wide range of environments—living rooms, kitchens, offices, and more—these fixtures ensure consistent lighting performance and visual harmony.
- Integrated crystal accents enhance light dispersion and create a luxurious, refined ambiance.
- Available in 4 configurable models, allowing tailored adjustments to dimensions for scalable application-specific solutions.

BENEFITS

- Designed for low energy consumption and extended operational life, promoting long-term cost savings and reduced environmental impact.
- Engineered for longevity and efficient thermal management, LED pendant luminaires ensure reliable performance and extended service life.
- Versatile design, LED pendant luminaires complement a wide range of interior styles and are widely adopted in both residential and commercial environments.

FEATURES

- Lifespan 30,000H.
- CRI>80
- Operating Voltage AC220-240V.
- Non-Dimmable.



AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center



TECHNICAL OPERATING & ELECTRICAL DATA

Body Material	Metal + Glass
CRI	80
Color Temperature	3000K
Input Voltage & Frequency	AC220-240V, 50/60Hz
Ambient Temperature	-20°C~45°C
IP Rating	IP20
IEC Classification	Class I
Dimming	Non-Dimmable
Switching Cycle	100000x on/off
Lifespan	30000H
Warranty Period	36 Months

SPECIFICATIONS

Code No.	Model No.	Body Color	Wattage	CRI	D.F	P.F	Current
LI661721	ILT15DPL930RSCH01	Rose Gold + Amber	17W	80	0.92	0.62	120mA
LI661722	ILT15DPL930BS02	Black + Smoky	17W	80	0.92	0.62	120mA
LI661723	ILT20DPL930RSCH01	Rose Gold + Amber	23W	80	0.94	0.94	110mA
LI661724	ILT20DPL930BS01	Black + Smoky	23W	80	0.94	0.94	110mA

DIMENSIONS





LI661721 - LI661722

LI661723 - LI661724

ACCESSORIES SPECIFICATIONS

Code No.	Model No.	Body Color	Body Material
LI661721GS	ILT15DPL930RSCHGS	Amber	Glass
LI661722GS	ILT15DPL930BSGS	Smoky	Glass
LI661723GS	ILT20DPL930RSCHGS	Amber	Glass
LI661724GS	ILT20DPL930BSGS	Smoky	Glass

ACCESSORIES DIMENSIONS



LI661721GS - LI661722GS

LI661723GS - LI661724GS

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED PENDANT LIGHT LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



build-station



lighting stores



illus lighting

C/ Cuenca, 87, Alaquas 46970, (Valencia) Spain, Ph. 34 961 623 958

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.