

Suitable Light for General Lighting applications

LED WALL LUMINAIRE SERIES

PRODUCT INFORMATION

- Suitable for a series of lighting applications in office, retail and general area lighting.
- Available in a wide variety of lumen packs, cut out size and color temperature.
- ILLUS LED WALL LUMINAIRE Luminaire gives the customer the flexibility
To choose between 10 models based on their specific need with lumen package from 370lm to 1050lm.

BENEFITS

- Compact design for better integration with the building.
- Comfortable light with high efficiency.
- Reliable performance for outdoor applications.
- Equipped with surge protective function.

FEATURES

- High CRI>85.
- Long lifespan 30,000H.
- Operating voltage AC100–240V.
- Non-Dimmable.
- Good Impact Rating.

AREAS OF APPLICATION



Hospitality



Public indoor



Shopping Center




Commercial



Workplace



Educational center





TECHNICAL OPERATING & ELECTRICAL DATA

Voltage & Frequency	AC100-240V, 50/60Hz
Rated CRI	85
Dimming	Non- Dimmable
Ambient Temperature	-20°C~45°C
IEC Classification	Class I
IP Rating	IP65
Body Material	Aluminum
Lifespan	30000H
Switching Cycle	15000x on/off
Warranty Period	36 Months

SPECIFICATIONS



Code No.	Model No.	Body Color	Power	Lumen	Efficacy	CCT	Beam Angle	IK Rating	Surge Protection
541182	ILS13WL830WW03	Dark Grey	13W	960lm	73.85lm/W	3000K	2*110°	IK10	2kV
541183	ILS13WL840NW03	Dark Grey	13W	1040lm	80lm/W	4000K	2*110°	IK10	2kV
541184	ILS13WL830WW04	Dark Grey	13W	370lm	28.46lm/W	3000K	280°	IK10	2kV
541185	ILS13WL830WW05	Dark Grey	13W	1000lm	76.92lm/W	3000K	120°	IK10	2kV
541186	ILS13WL840NW05	Dark Grey	13W	1050lm	80.77lm/W	4000K	120°	IK10	2kV
541190	ILS13WL830WW06	Dark Grey	13W	250lm	19.23lm/W	3000K	107°	IK10	2kV
541191	ILS13WL840NW06	Dark Grey	13W	250lm	23.08lm/W	4000K	107°	IK10	2kV
541195	ILS7WL830WW02	Dark Grey	7W	270lm	38.57lm/W	3000K	120°	IK10	2kV
541196	ILS13WL830WW07	Black	13W	490lm	37.69lm/W	3000K	140°	IK10	2kV
541197	ILS13WL840NW07	Black	13W	520lm	40lm/W	4000K	140°	IK10	2kV

DIMENSIONS





541182 - 541183

541184



541185 - 541186

541190 - 541191



541195

541196 - 541197



**LED
WALL LUMINAIRE
SERIES**

**BEYOND LIGHT..
TO THE LAST DETAILS!**

