



Simple and flexible solution to design modern light lines in professional and retail spaces

LED WALL LUMINAIRE SERIES

PRODUCT INFORMATION

- Modern looking, neat luminaire offering comfortable, good quality lighting and can also work as a design element.
- Ideal lighting in the non-working areas of professional spaces such as offices, educational institutes, and also the welcoming areas and entrances of retail spaces.
- ILLUS LED WALL LUMINAIRE Light gives the customer the flexibility to choose between 5 models based on their specific need with lumen package from 385lm to 1350lm.

BENEFITS

- Clean and uniform light.
- Multiple application use.
- Easy to install and maintain.
- Equipped with surge protective function.

FEATURES

- Efficacy up to 108lm/w.
- Long lifespan 30,000H.
- Operating voltage AC100-240V.
- Non-Dimmable.
- Good Impact Rating.



BEYOND LIGHT..
TO THE LAST DETAILS!

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

CCT	3000K
Body Color	Dark Grey
Body Material	Aluminum
Ambient Temperature	-20°C~45°C
Voltage	AC100-240V
Frequency	50/60Hz
Dimming	Non-Dimmable
IEC Classification	Class I
Switching Cycle	100000X on/off
Lifespan	30000H
Warranty	36 Months

SPECIFICATIONS


Code No.	Model No.	Power	Lumen	Efficacy	Beam Angle	IP Rating	CRI	IK Rating	Surge Protection
LI521308	ILS12WLWW18	12.5W	1350lm	108lm/W	120°	65	85	IK08	2kV
LI521309	ILS6WLWW24	6.5W	385lm	59.23lm/W	220°	65	85	IK06	4.5kV
LI521310	ILS12WLWW16	13W	1000lm	76.92lm/W	90°	65	85	IK08	2kV
LI521317	ILS8WLWW06	9W	420lm	46.67lm/W	70°	65	85	IK06	2kV
LI521320	ILS12WLWW17	12.5W	500lm	40lm/W	90°	54	85	IK08	2kV

DIMENSIONS




LI521308

LI521309



LI521310

LI521317



LI521320

APPLICATION PICTURE



LED WALL LUMINAIRE SERIES

BEYOND LIGHT..
TO THE LAST DETAILS!



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

11192021V1