

Make your boundaries stand out

LED WALL-MOUNTED LUMINAIRE SERIES

PRODUCT INFORMATION

- Surface mounted, exterior-rated and compact sized architectural LED edge lighting luminaire that is designed for façade and outdoor decorative lighting applications.
- Ideal for edges lighting on windows and doors inner frames, building façades, landmarks and monuments.
- ILLUS LED WALL MOUNTED Luminaire gives the customer the flexibility to choose between 9 models based on their specific need with lumen package from 245lm to 840lm.

BENEFITS

- Unique optical distribution to highlight the inner frame or outer edges of windows, balconies or doors.
- Compact size.
- Light weight.
- Equipped with surge protective function.

FEATURES

- High CRI>80.
- Efficacy up to 105lm/w.
- Long lifespan 30,000H.
- Operating voltage AC100–240V.
- Non-Dimmable.
- Good Rating Impact.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Commercial



Shopping Center



Educational center



Garden

TECHNICAL OPERATING & ELECTRICAL DATA

Voltage & Frequency	AC100-240V, 50/60Hz
Rated CRI	80
Color Temperature	3000K
IEC Classification	Class I
Ingress Protection Rating	IP54
Body Material	Aluminum+Glass
Ambient Temperature	-20°C~45°C
Lifespan	30000H
Switching Cycle	100000x on/off
Warranty Period	36 Months


SPECIFICATIONS

Code No.	Model No.	Body Color	Power	Lumen	Efficacy	Beam Angle	IK Rating	Surge Protection
521265	ILS8WLWW04	Dark Gray	8W	840lm	105lm/W	112°	IK06	2kV
521239	ILS6.5WLWW04	New Black	6.5W	245lm	41lm/W	95°*70°	IK06	4.5kV
521253	ILS6.5WLWW06	Matt Black	6.5W	245lm	41lm/W	95°*70°	IK06	4.5kV
521240	ILS6.5WLWW05	New Black	6.5W	350lm	58lm/W	110°*80°	IK06	4.5kV
521254	ILS6.5WLWW07	Matt Black	6.5W	350lm	58lm/W	110°*80°	IK06	4.5kV
521256	ILS12.5WLWW04	Matt Black	12.5W	600lm	50lm/W	105°*65°	IK06	2kV
521250	ILS12.5WLWW03	New Black	12.5W	630lm	53lm/W	105°*65°	IK06	2kV
521251	ILS12.5WLWW05	New Black	12.5W	600lm	50lm/W	75°*45°	IK06	2kV
521257	ILS12.5WLWW06	Matt White	12.5W	600lm	50lm/W	75°*45°	IK06	2kV


illus

illumination


DIMENSIONS




521265




521239, 521253



521240, 521254



521256, 521250



521251, 521257

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED WALL-MOUNTED LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.