



Make your boundaries **Stand Out**

LED SURFACE-WALL MOUNTED LUMINAIRE SERIES

PRODUCT INFORMATION

- Surface mounted, exterior-rated and compact sized architectural LED edge lighting luminaire that is designed for façade and outdoor decorative lighting applications.
- Ideal for edges lighting on windows and doors inner frames, building façades, landmarks and monuments.
- ILLUS LED SURFACE-WALL MOUNTED Luminaire gives the customer the flexibility to choose between 3 models based on their specific need with lumen package from 530lm to 1000lm.

BENEFITS

- Unique optical distribution to highlight the inner frames or outer edges of windows, balconies or doors.
- Compact size.
- Light weight.
- Equipped with surge protective function.

FEATURES

- High CRI>80.
- Operating voltage AC100-240V.
- Non-Dimmable.
- Good Impact Rating.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Industrial



Shopping Center



Garden



Commercial



Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

Voltage & Frequency	AC100-240V, 50/60Hz
Rated CRI	80
Rated Power	9W
Color Temperature	3000K
IEC Classification	Class I
IK Rating	IK08
Surge Protection	2kV
Dimming	Non-Dimmable
Lifespan	30000H
Switching Cycle	100000H
Warranty Period	36 Months

SPECIFICATIONS

Code No.	Model No.	Body Color	Body Material	Lumen	Efficacy	Beam Angle	TA	IP Rating
521150	ILS9WLWW06	Matt Black	Aluminum+PC	530lm	66.25lm/W	180°	-20°C~45°C	IP54
521268	ILS9WLWW08	Matt Black	Aluminum+PC	1000lm	125lm/W	178°	-30°C~45°C	IP65
521151	ILS9WLWW07	Matt Black	Aluminum+PC	530lm	66.25lm/W	180°	-20°C~45°C	IP54

DIMENSIONS



521150

521151

521268

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED SURFACE-WALL MOUNTED LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**

