



Make your boundaries **Stand Out**

## WALL LUMINAIRE SERIES

### PRODUCT INFORMATION

- Surface mounted, exterior- rated and compact sized architectural LED edge lighting luminaire that is designed for façade and outdoor decorative lighting applications.
- Ideal for edges lighting on windows and doors inner frames, building façades, landmarks and monuments.
- ILLUS WALL Luminaire gives the customer the flexibility to choose between 9 models based on their specific needs.

### BENEFITS

- Unique optical distribution to highlight the inner frames or outer edges of windows, balconies or doors.
- Compact size.
- Light weight.

### FEATURES

- High CRI>80.
- Long life span 50,000 hrs.
- Operating voltage AC220 – 240V.
- Non – dimmable.

## AREAS OF APPLICATION



Industrial



Garden



Commercial



## TECHNICAL OPERATING & ELECTRICAL DATA

Input Voltage & Frequency	AC220-240V, 50/60Hz
Color Temperature	3000K
Life Span	50,000hrs
Ingress Protection Rating	IP54
Dimming	Non-Dimmable

## SPECIFICATIONS



Code No.	Model No.	Max. Wattage	Lamp Holder	Body Color	Body Material
614191	ILSGX53SMW01	Max.9W	1	Dark Grey	Aluminum + Glass
614192	ILS2GX53SMW01	Max.9W	2	Dark Grey	Aluminum + Glass
614193	ILSGX53SMW02	Max.9W	1	Dark Grey	Aluminum + PC
614194	ILSMR11SMW01	Max.9W	1	Dark Grey	Aluminum + Glass
614195	ILS2MR11SMW01	Max.9W	2	Dark Grey	Aluminum + Glass
614196	ILSMR11SMW02	Max.9W	1	Dark Grey	Aluminum + Glass
614197	ILS2MR11SMW02	Max.9W	2	Dark Grey	Aluminum + Glass
614198	ILSMR11SMW03	Max.9W	1	Dark Grey	Aluminum + Glass
614199	ILS2MR11SMW03	Max.9W	2	Dark Grey	Aluminum + Glass

# DIMENSIONS





614191

614192



614193


614194



614195


614196

## DIMENSIONS



614197

614198



614199



# WALL LUMINAIRE SERIES

BEYOND LIGHT..  
TO THE LAST DETAILS!

