



## Make your boundaries Stand Out

### LED SURFACE-MOUNTED LUMINAIRE (PROJECTOR) SERIES

#### PRODUCT INFORMATION

- Surface mounted, exterior-rated and compact sized architectural LED edge lighting luminaire that is designed for façade and outdoor decorative lighting applications.
- Ideal for edges lighting on windows and doors inner frames, building façades, landmarks and monuments.
- ILLUS LED SURFACE-MOUNTED Luminaire (PROJECTOR) gives the customer the flexibility to choose between 2 models based on their specific need with lumen package from 600lm to 880lm.

#### BENEFITS

- Unique optical distribution to highlight the inner frames or outer edges of windows, balconies or doors.
- Compact size.
- Light weight.
- Equipped with surge protective device.

#### FEATURES

- High CRI>85.
- Operating voltage AC100-240V.
- Non-Dimmable.
- Good Impact Rating.



**BEYOND LIGHT..  
TO THE LAST DETAILS!**

## AREAS OF APPLICATION



Industrial



Shopping Center



Garden



Commercial



Educational Center




## TECHNICAL OPERATING & ELECTRICAL DATA

Body Color	Dark Grey
Body Material	Aluminum+Glass
Voltage & Frequency	AC100-240V, 50/60Hz
CRI	85
Color Temperature	3000K
Beam Angle	36°
IEC Classification	Class I
Dimming	Non-Dimmable
Ambient Temperature	-20°C~45°C
Surge Protection	2kV
Lifespan	30000H
Switching Cycle	100000x on/off
Warranty Period	36 Months

## SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	IK Rating	IP Rating	Beam Angle
521281	ILS08SMOPJL01	8W	600lm	75lm/W	IK08	IP65	36°
521282	ILS12SMOPJL03	12W	880lm	73.33lm/W	IK08	IP65	36°

## DIMENSIONS



521281

521282



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

## **LED SURFACE-MOUNTED LUMINAIRE (PROJECTOR) SERIES**

**BEYOND LIGHT..  
TO THE LAST DETAILS!**

