



**Full range** recessed up-light to make your **space distinctive**

# LED INGROUND LUMINAIRE SERIES

## PRODUCT INFORMATION

- Provide a completed range of up-lights of wattage, color temperature.
- Make your space distinctive with more safety and convenience as well.
- ILLUS LED INGROUND Luminaire gives the customer the flexibility to choose between 4 models based on their specific need with lumen package from 28lm to 100lm.

## BENEFITS

- Easy to opt.
- Quick installation.
- Robust design for severe conditions.
- Equipped with surge protective function.

## FEATURES

- High CRI>80.
- Long lifespan 30,000H.
- Operating voltage AC100–240V.
- Non-Dimmable.
- Good Impact Rating.



**BEYOND LIGHT..  
TO THE LAST DETAILS!**

## AREAS OF APPLICATION



Commercial



Shopping Center



Educational center



Garden


## TECHNICAL OPERATING & ELECTRICAL DATA

Input Voltage & Frequency	AC100-240V, 50/60Hz
Rated Power	1.6W
Rated CRI	80
Dimming	Non-Dimmable
IEC Classification	Class II
Ambient Temperature	-30°C~45°C
IK Rating	IK10
Body Color	Black
Body Material	Aluminum+Glass
Lifespan	30000H
Switching Cycle	100000x on/off
Warranty Period	36 Months

## SPECIFICATIONS

Code No.	Model No.	Lumen	CCT	Beam Angle	IP Rating
521304	ILS1.5RMOIGL07	75lm	3000K	32°±5°	IP67
521305	ILS1.5RMOIGL08	35lm	3000K	70°±5°	IP67
521098	ILS1.5RMOIGL01	100lm	3000K	32°±5°	IP67
521129	ILS1.5RMOIGL06	28lm	Blue	32°±5°	IP67
521125	ILS1.5RMOIGL02	100lm	6500K	32°±5°	IP67

## DIMENSIONS



521304, 521305, 521129, 521098, 521125 Cutting size (Ø61)

## APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

## LED INGROUND LUMINAIRE SERIES

**BEYOND LIGHT..  
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

[www.illusillumination.com](http://www.illusillumination.com)

illuS illumination reserve the right to make dimensional, design and technical alternations without prior notice. illuS illumination endeavor to ensure that any advice, recommendation or information it provides in produ literature is accurate and correct. However due to the fact that illuS do not have direct control on where and how the products are installed, illuS illumination cannot accept any liability either direct or indirect arising from the use of illuS products whether or not in accordance with any advice, specification, recommendation or information provided by illuS illumination or its distributors.