

Full range recessed up-light to make your **space distinctive**

LED INGROUND LUMINAIRE SERIES

PRODUCT INFORMATION

- Provide a completed range of up-lights of wattage, color temperature.
- Make your space distinctive with more safety and convenience as well.
- ILLUS LED INGROUND Luminaire gives the customer the flexibility to choose between 5 models based on their specific need with lumen package from 15lm to 80lm.

BENEFITS

- Easy to opt.
- Quick installation.
- Robust design for severe conditions.
- Equipped with surge protective function.

FEATURES

- High CRI>80.
- Efficacy up to 32lm/w.
- Long life span 30,000H.
- Operating voltage AC100–240V.
- Non-Dimmable.
- Good Impact Rating.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Commercial



Shopping Center



Educational center



Garden


TECHNICAL OPERATING & ELECTRICAL DATA

Input Voltage & Frequency	AC100-240V, 50/60Hz
Rated CRI	80
Body Material	Aluminum+Glass
IEC Classification	Class II
Ingress Protection Rating	IP67
Ambient Temperature	-30°C~45°C
Lifespan	30000H
Switching Cycle	100000x on/off
Warranty Period	36 Months


SPECIFICATIONS

Code No.	Model No.	Body Color	Power	Lumen	Efficacy	CCT	Beam Angle	IK Rating	Surge Protection
521202	ILS2.5RMOIGL02	Silver	2.5W	73lm	29.2lm/W	3000K	57°*236°	IK10	-
521203	ILS2.5RMOIGL03	Silver	2.5W	80lm	32lm/W	3000K	63°*13°	IK10	-
521231	ILS2.5RMOIGL05	Silver	2.5W	15lm	6lm/W	Blue	63°*13°	IK10	-
521232	ILS2.5RMOIGL06	Silver	2.5W	80lm	32lm/W	5700K	63°*13°	IK10	-
521236	ILS2.5RMOIGL09	Silver	2.5W	33lm	13.2lm/W	3000K	90°*18°	IK10	-

DIMENSIONS



521202



521203, 521231, 521232, 521236

Cutting size Ø45

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED INGROUND LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in produ literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.