

Full range recessed up-light to make your **space distinctive**

LED INGROUND LUMINAIRE SERIES

PRODUCT INFORMATION

- Provide a completed range of up-lights of wattage, color temperature.
- Make your space distinctive with more safety and convenience as well.
- ILLUS LED INGROUND Luminaire gives the customer the flexibility to choose between 3 models based on their specific need with lumen package from 13lm to 40lm.

BENEFITS

- Easy to opt.
- Quick installation.
- Robust design for severe conditions.
- Equipped with surge protective function.

FEATURES

- High CRI>80.
- Efficacy up to 4lm/w.
- Long lifespan 30,000H.
- Operating voltage AC100–240V.
- Non-Dimmable.
- Good Impact Rating.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Commercial



Shopping Center



Educational center



TECHNICAL OPERATING & ELECTRICAL DATA

Voltage & Frequency	AC100-240V, 50/60Hz
Rated CRI	80
Color Temperature	3000K
Body Color	Shining Black
Body Material	Aluminum+PC
Ingress Protection Rating	IP65&IP67
IEC Classification	Non-Dimmable
Ambient Temperature	-20°C~45°C
Lifespan	30000H
Switching Cycle	100000x on/off
Warranty Period	36 Months



SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Beam Angle	IK Rating	Surge Protection
521301	ILS12RMOIGL01	12W	13lm	2°*84°	IK08	4.5kV
521302	ILS06RMOIGL01	6W	24lm	2°*84°	IK08	4.5kV
521303	ILS12RMOIGL01	12W	40lm	21°*80°	IK08	2kV



DIMENSIONS



521301 Cutting Size (Ø139*H110)



521302 Cutting Size (Ø139*H110)



521303 Cutting Size (Ø139*H110)

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED INGROUND LUMINAIRE SERIES

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.