
LED PRO



LED MAGNETIC TRACK PENDANT LIGHT

PRODUCT INFORMATION

- The SIMON LED Magnetic Track Pendant Lights are contemporary lighting solutions designed for flexibility and efficiency that utilize magnetic mounting systems, allowing for easy installation and repositioning along the track.
- Ideal for various applications, including retail spaces, art galleries, showrooms, and residential interiors, they offer both functional illumination and aesthetic appeal.
- LED Magnetic Track Pendant Lights are available in 4 different models with lumen packages from 600lm to 1050lm.

BENEFITS

- Tool-free installation simplifies setup and replacement. Slim contemporary designs enhance the architectural style of modern interiors.
- Generates less heat and lowers carbon footprint compared to conventional lighting.
- Reduces electricity costs compared to traditional lighting systems.

FEATURES

- High CRI ≥95.
- Efficacy up to 84lm/W.
- Long Lifespan 30000H.
- Input Voltage DC48V.
- Non-Dimmable.

CE CB RoHS III

AREAS OF APPLICATION


Hospitality



Shopping Center


Commercial


Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

Body Material	Aluminum + Plastic
Body Color	Sandy Black
Rated CRI	≥95
Input Voltage	DC48V
IEC Classification	Class III
Ambient Temperature	45°C
Beam Angle	24°
Dimming	Non-Dimmable
IP Rating	IP20
Lifespan	30000H
Switching Cycle	100000x on/off
Warranty Period	36 Months


SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT	Current
SM241075	SIM7.5PMTR930WW01	7.5W	600lm	80lm/W	3000K	160mA
SM241076	SIM7.5PMTR940NW01	7.5W	630lm	84lm/W	4000K	160mA
SM241077	SIM13PMTR930WW01	13W	1000lm	76.92lm/W	3000K	260mA
SM241078	SIM13PMTR940NW01	13W	1050lm	80.77lm/W	4000K	260mA

DIMENSIONS



SM241075 - SM241076




SM241077 - SM241078


ACCESSORIES SPECIFICATIONS

Code No.	Model No.	Body Color	Body Material
SM241081	SIM100DRMTR01	Sandy Black	Aluminum + Plastic
SM241082	SIM200DRMTR01	Sandy Black	Aluminum + Plastic
SM241083	SIM3SMTRK01	Sandy Black	Aluminum
SM241084	SIM2SMTRK01	Sandy Black	Aluminum
SM241085	SIM1SMTRK01	Sandy Black	Aluminum
SM241086	SIM3RMTRK01	Sandy Black	Aluminum
SM241087	SIM2RMTRK01	Sandy Black	Aluminum
SM241088	SIM1RMTRK01	Sandy Black	Aluminum
SM241089	SIMRCON01	Sandy Black	Aluminum
SM241090	SIMRCON02	Sandy Black	Aluminum
SM241091	SIMSCON01	Sandy Black	Aluminum
SM241092	SIMSCON02	Sandy Black	Aluminum
SM241093	SIMDCOB01	Sandy Black	Plastic
SM241094	SIMF2COB01	Sandy Black	Plastic
SM241095	SIMFCOB01	Sandy Black	Plastic
SM241096	SIMPKITMT01	Chrome	Stainless Steel
SM241097	SIMSSCNT01	Sandy Black	Iron

SPECIFICATIONS




SM241081




SM241082


SPECIFICATIONS




SM241083 - SM241084 - SM241085




SM241086 - SM241087 - SM241088




SM241089



SM241090




SM241091




SM241092


SPECIFICATIONS




SM241093




SM241094



SM241095



SM241091



SM241092

APPLICATION PICTURE



LED MAGNETIC TRACK PENDANT LIGHT

SWITCH TO SIMON, STAY SECURE.

www.simonelectric.com

Website Facebook Youtube

Simon,S.A.U
Sancho de Ávila,66 Barcelona
E-08018(ES), BARCELONA, SPAIN
Tel. +34 902 109100
Web . www.simonelectric.com

Simon Electric (China)
Tel. +86 21 3855 5222
Web. www.simon.com.cn

Simon Electric (APAC)
Web. www.simon-apac.com
E-mail. info@simon-apac.com

PT Simon Elektrik Indonesia
Tel. +62 21 52960373
Web. www.simonelektrik.co.id