



LED PRO

Simple & Flexible Solution

LED FLEXIBLE LINEAR LIGHT

PRODUCT INFORMATION

- Excellently anti-dust LED strips with professional design to guarantee lighting performance.
- It not only ensure high quality of lighting color consistency but also protect products against from harsh environments.
- ILLUS LED FLEXIBLE LINEAR Light gives the customer the flexibility to choose between 12 models based on their specific need with lumen package from 320 lm to 950 lm.

BENEFITS

- Vivid light color.
- Less maintenance cost and less concerns.

FEATURES

- High CRI>95.
- Operating voltage DC24V.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP20
Body Color	Yellow
Body Material	Silicon
CRI	95
Lumen	from 320 to 950lm/M+/-10%
Voltage	DC24V
Ambient Temperature	-20°~45°C
Cutting Unit	500mm
Beam Angle	140°
Dimming	Non- Dimmable
IEC Classification	Class II
Fixed or Adjustable	Adjustable
Life Span	50000hrs

SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT
614008	ILS3LOVST927WW01	3W	320lm	106.67lm/w	2700K
614009	ILS3LOVST930WW01	3W	330lm	110lm/w	3000K
614010	ILS3LOVST940NW01	3W	370lm	123.33lm/w	4000K
614011	ILS3LOVST950DL01	3W	390lm	130lm/w	5000K
614012	ILS5LOVST927WW01	5W	540lm	108lm/w	2700K
614013	ILS5LOVST930WW01	5W	560lm	112lm/w	3000K
614014	ILS5LOVST940NW01	5W	620lm	124lm/w	4000K
614015	ILS5LOVST950DL01	5W	650lm	130lm/w	5000K
614016	ILS7LOVSTL927WW01	7.5W	820lm	109.33lm/w	2700K
614017	ILS7LOVSTL930WW01	7.5W	850lm	113.33lm/w	3000K
614018	ILS7LOVSTL940NW01	7.5W	900lm	120lm/w	4000K
614019	ILS7LOVSTL950DL01	7.5W	950lm	126.67lm/w	5000K

DIMENSIONS




614008 - 614009 - 614010 - 614011 - 614012 - 614013 - 614014 - 614015 - 614016 - 614017 - 614018 - 614019

ACCESSORIES


LED FLEXIBLE LINEAR LIGHT CONNECTOR
AVAILABLE AS AN ACCESSORY

Code No.	Model No.	Body Color	Body Material
614032	ILSLVSTFCT01	Transprent	Plastic
614033	ILSLVSTSC01	Transprent	Plastic
614034	ILSLVSTDC01	Transprent	Plastic


ACCESSORIES DIMENSIONS



614032



614033



614034

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

**LED
FLEXIBLE
LINEAR LIGHT**

**BEYOND LIGHT..
TO THE LAST DETAILS!**



Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456

www.illusillumination.com

illuS illumination reserve the right to make dimensional, design and technical alternations without prior notice. illuS illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illuS do not have direct control on where and how the products are installed, illuS illumination cannot accept any liability either direct or indirect arising from the use of illuS products whether or not in accordance with any advice, specification, recommendation or information provided by illuS illumination or its distributors.

11/92021V/1