


LED PRO

Simple & Flexible Solution

LED
FLEXIBLE
LINEAR LIGHT

PRODUCT INFORMATION

- Excellently anti-dust LED strips with professional design to guarantee lighting performance.
- It not only ensure high quality of lighting color consistency but also protect products against from harsh environments.
- ILLUS LED FLEXIBLE LINEAR Light gives the customer the flexibility to choose between 12 models based on their specific need with lumen package from 310 lm to 900 lm.

BENEFITS

- Vivid light color.
- Less maintenance cost and less concerns.

FEATURES

- High CRI>95.
- Operating voltage DC24V.

illus
illumination

BEYOND LIGHT..
TO THE LAST DETAILS!

AREAS OF APPLICATION

Hospitality

Shopping Center

Commercial

Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP65
Body Color	Yellow
Body Material	Silicon
CRI	95
Lumen	From 310lm to 900lm/M+/-10%
Voltage	DC24V
Ambient Temperature	-20°C~45°C
Cutting Unit	500mm
Dimming	Non- Dimmable
IEC Classification	Class II
Fixed or Adjustable	Adjustable
Life Span	50000hrs

SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT	Beam Angle
614020	ILS3LOVIST927WW01	3W	310lm	106.67lm/w	2700K	140°
614021	ILS3LOVIST930WW01	3W	320lm	116.67m/w	3000K	140°
614022	ILS3LOVIST940NW01	3W	350lm	123.33lm/w	4000K	140°
614023	ILS3LOVIST950DL01	3W	370lm	104lm/w	5000K	140°
614024	ILS5LOVIST927WW01	5W	520lm	108lm/w	2700K	140°
614025	ILS5LOVIST930WW01	5W	540lm	118lm/w	3000K	140°
614026	ILS5LOVIST940NW01	5W	590lm	124lm/w	4000K	140°
614027	ILS5LOVIST950DL01	5W	620lm	118lm/W	5000K	140°
614028	ILS7LOVIST727WW01	7.5W	770lm	102.67lm/w	2700K	140°
614029	ILS7LOVIST730WW01	7.5W	800lm	106.67lm/w	3000K	140°
614030	ILS7LOVIST740NW01	7.5W	850lm	113.33lm/w	4000K	140°
614031	ILS7LOVIST760DL01	7.5W	900lm	120lm/w	5000K	140°

DIMENSIONS




ACCESSORIES


LED FLEXIBLE LINEAR LIGHT CONNECTOR
AVAILABLE AS AN ACCESSORY

Code No.	Model No.	Body Color	Body Material
614032	ILSLVSTFCT01	transparent	plastic
614033	ILSLVSTSC01	transparent	plastic
614034	ILSLVSTDC01	transparent	plastic


ACCESSORIES DIMENSIONS



614032 - Connector



614033 - Connector



614034 - Connector

APPLICATION PICTURE



LED
FLEXIBLE
LINEAR LIGHT

BEYOND LIGHT..
TO THE LAST DETAILS!

illus
illumination

Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456 www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

1119202V1