

LED PRO

Simple & Flexible Solution

LED FLEXIBLE LINEAR LIGHT

PRODUCT INFORMATION

- Excellently anti-dust LED strips with professional design to guarantee lighting performance.
- It not only ensure high quality of lighting color consistency but also protect products against from harsh environments.
- ILLUS LED FLEXIBLE LINEAR Light gives the customer the flexibility to choose based on their specific need with lumen package up to 480lm.

BENEFITS

- Vivid light color.
- Less maintenance cost and less concerns.

FEATURES

- High CRI>90.
- Operating voltage DC24V.

illus
illumination

BEYOND LIGHT..
TO THE LAST DETAILS!

AREAS OF APPLICATION

Hospitality

Shopping Center

Commercial

Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP20
Body Color	White
Body Material	PCB+Silicon
CRI	90
Lumen	up to 480lm/M+/-10%
Voltage	DC24V
Ambient Temperature	-20°C~45°C
Cutting Unit	500mm
Beam Angle	140°
Dimming	Non-Dimmable
IEC Classification	Class II
Fixed or Adjustable	Adjustable
Life Span	30000hrs

SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	CCT
614035	ILS14LVSTRGBWW01	14W	480lm R-168 G-316 B- 78	34lm/W	RGB

DIMENSIONS




614035

ACCESSORIES


LED FLEXIBLE LINEAR LIGHT CONNECTOR
AVAILABLE AS AN ACCESSORY

Code No.	Model No.	Body Color	Body Material	Voltage
614032	ILSLVSTFCT01	transparent	plastic	
614033	ILSLVSTSC01	transparent	plastic	
614034	ILSLVSTDC01	transparent	plastic	
614036	ILSLVSTRGBCND01			DC24V


ACCESSORIES DIMENSIONS




614032 - Connector



614033 - Connector



614034 - Connector



614036 - Remote Control

APPLICATION PICTURE



LED
FLEXIBLE
LINEAR LIGHT

BEYOND LIGHT..
TO THE LAST DETAILS!

illus
illumination

Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456 www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

1119202V1